

# International Journal of Life Sciences and Review (IJLSR)

Received on 23 September, 2016; received in revised form, 18 November, 2016; accepted, 04 December, 2016; published 31 December, 2016

Document heading

doi: 10.13040/IJPSR.0975-8232.IJLSR.2 (12).172-74

## NUTRITIONAL VALUE OF SPINACIA OLERAEECEA SPINACH-AN OVERVIEW

Tahseen Fatima Miano

Institute of Food Sciences and Technology, Sindh Agriculture University, Tando jam, Pakistan.

**ABSTRACT:** This study has been overviewed to observe the nutritional effect of (*Spinacia Oleraecea*) on human health by consuming it in to various form as raw or cooked because of its antioxidant compound, dietary fiber, minerals vitamins and iron compound prevents ones health from various diseases anemia, and also it contains many anticancer agents. It is also contains omega 3 fatty acids and anti-inflammatory agent. It is concluded that eating fresh green vegetables prevents many diseases which results a good heath.

**Keywords:** Fresh, cooked, vitamin K, antioxidant, anti cancer, health.

**Correspondence to Author:**

**Tahseen Fatima Miano**


Institute of Food Sciences and Technology Sindh, Agriculture University, Tando jam, Pakistan.

**E-mail:** tahseenfm@yahoo.com

**INTRODUCTION:** Spinach (*Spinacia oleraecea*) has been widely growing throughout the Pakistan. There are so many seasonal vegetables produced from them spinach is one of the most important and nutritious vegetable eaten raw or cooked it provides a very good amount of vitamins B6, riboflavin, folate, niacin, soluble dietary fiber, omega 3-fatty acid and minerals. Spinach is also rich with iron; its use prevents from some of diseases like osteoporosis, anaemia results of iron deficiency <sup>6</sup>. In adding to its food value, spinach has a numeral therapeutic uses. S Use of spinach for gastrointestinal disorder, blood-generating therapy, growth stimulation in children, appetite stimulation, convalescent support, and fatigue. It has been also suggested its use as an anticancer agent, antioxidant <sup>6</sup>, and cancer preventative.

Spinach may also reduce age-related eyesight worsening from macular deterioration and cataract. In which may also interact <sup>1</sup> with anticancer herbs and supplements <sup>7</sup>. Spinach cultivation in Pakistan has more consideration now a days, consuming 200gm of spinach gives 41 calories it also an excellent source of vitamin K, flavnoids, carotenes, vitamin C, folic acid compounds in spinach prevents from development of cancer cells, it has been further observed that flavonoids compounds in spinach functions as an antioxidant agent which act in body anticancer agent. Functional and health qualities of spinach <sup>7</sup> and its technological advances in formulation <sup>3</sup> or preserving the fresh vegetables is under consideration for health benefits. Spinach is also composed of various active compounds such as flavonoids and other polyphenolic active ingredient compounds are acting in combination with one another as anti inflammatory agents and antioxidant agent.

**Vitamin K in spinach:** Spinach contains Vitamin K is a group of compounds. The most important of these compounds appears to be vitamin K1 and vitamin K2. Vitamin K1 is obtained from leafy greens and also from spinach vegetables.

<b>QUICK RESPONSE CODE</b> 	<b>DOI:</b> 10.13040/IJPSR.0975-8232.IJLSR.2(12).172-74  <b>Article can be accessed online on:</b> www.ijlsr.com
<b>DOI link:</b> <a href="http://dx.doi.org/10.13040/IJPSR.0975-8232.IJLSR.2(12).172-74">http://dx.doi.org/10.13040/IJPSR.0975-8232.IJLSR.2(12).172-74</a>	




FIG. 1: CHEMICAL STRUCTURE OF VITAMIN K IN SPINACH.

**Antioxidantive agents in spinach:** Flavonoids, carotenoids, vitamins (C, E) and phenolic compounds have antioxidative action when spinach is consumed these all components together controls the effect of free radical (Fig. 2) to reduce their harmful effect. All compounds have antioxidant effect<sup>2</sup>.




FIG. 2: CHEMICAL STRUCTURE OF ANTIOXIDANT EFFECTS IN SPINACH.

**MATERIAL AND METHODS:** Processing of freshly harvested Spinach is under.

**Selection of spinach:** Spinach can be harvested when its leaves fully mature they are picked by hand or by scissor properly collect with careful handling.




FIG. 3: A. SCHEMATIC DIAGRAM OF SPINACH WITH NUTRIENTS.

**Wash with clean water:** After collection the spinach leaves should be washed with clean water to remove the dust dirt or other impurities repeat this process for two or three time to achieve impurities free spinach leaves.

**Homogenous cutting:** Take stainless steel knife for cutting the spinach, cutting should be done homogenous.

**Cooking:** Spinach for cooking should be placed in a pot put all the cutted spinach in to pan on medium heat after few minutes it releases water. Another method is to boil the water and add spinach leaves in to boiled water for few minutes, discard the water from spinach cook as desired Fig. 4. Show the flow process of spinach as raw to eat.




FIG. 4: FLOW PROCESSING CHART OF SPINACH

**Spinach leaves drying:** Above mentioned method is applied for drying of spinach to use in off season when this crop is not available it can be stored for long time by drying<sup>4</sup>. After washing of spinach it can be spread in direct sun light to remove the moisture content, after two days direct exposure to sun it can be collected and packed in to polyethylene bags tightly store at safe and hygiene place for use<sup>3</sup>.

**RESULT AND DISCUSSION:** It is concluded from the overview that the use of spinach in our daily life has great importance to prevent the health from many disease its antioxidative effect has active compounds and are highly available to the body, a powerful natural antioxidant mixture has been identified from spinach leaves with its main active compounds, these compounds are heat stable and non toxic when eaten its dietary invention is important in human. All compounds have antioxidant effect in body<sup>2</sup>.

## REFERENCES:

1. Agoreyo BA, O Akpirorah, OA Orukpe, OR Osaweren. The effect of various drying methods on the nutritional composition of *Musa Paradisaca*, *Dioscorea rotundata* and *Colocasia esculenta*. Asian j. of bio. Chem. 2011, 6(6):548-464.
2. Bergquist S. Bioactive Compounds in Baby Spinach (*Spinacia oleracea* L.) Effects of Pre and Postharvest Factors. Doctoral thesis Swedish University of Agricultural Sciences Alnarp, 2006.
3. Chenping Xu and Beiquan Mou. Responses of Spinach to Salinity and Nutrient Deficiency in Growth, Physiology, and Nutritional Value. JAHS 2016, 141(1) 12-21.
4. Gupta S, BS Gowri, AJ Lakshmi, and J Prakash. Retention of nutrients in green leafy vegetables on dehydration. J Food Sci Technol. 2013, 50(5): 918–925.
5. Kamal K, T Muslim and M A Rahman. Chemical Composition of Some Leafy Vegetables of Bangladesh. Dhaka Univ. J. Sci. 2013, 61(2): 199-201.
6. Patricia O. Proximate composition and nutritive value of leafy vegetables consumed in northern côte d'ivoire. European Scientific Journal, 2014, 10(6) ISSN: 1857 – 7881 (Print) e - ISSN 1857- 7431.
7. Robinson SP, WJS Downton, and JA Millhouse. Photosynthesis and Ion Content of Leaves and Isolated Chloroplasts of Salt-Stressed Spinach. Plant Physiol. 1983, 73, 238-242

### How to cite this article:

Miano TF: Nutritional value of *Spinacia oleracea* spinach-an overview. Int J Life Sci Rev. 2016; 2(12) 172-74.:doi:10.13040/IJPSR.0975-8232.IJLSR.2(12).172-74.

All © 2015 are reserved by International Journal of Life Sciences and Review. This Journal licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

This article can be downloaded to **ANDROID OS** based mobile. Scan QR Code using Code/Bar Scanner from your mobile. (Scanners are available on Google Playstore)